

What is claimed:

1. A method for identifying a compound capable of treating a urological disorder, comprising:
 - a) combining a compound to be tested with a 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 polypeptide under conditions suitable for binding of the test compound to the polypeptide; and
 - b) detecting binding of the test compound to the polypeptide to thereby identify a compound which binds to the polypeptide, thereby identifying a compound capable of treating a urological disorder.
2. The method of claim 1, wherein the compound is selected from the group consisting of a small molecule, a peptide or an antibody.
3. The method of claim 1, wherein the polypeptide further comprises heterologous sequences.
4. The method of claim 1, wherein the polypeptide is an isolated polypeptide, a membrane-bound form of an isolated polypeptide or a cell comprising the polypeptide.
5. The method of claim 4, wherein the cell is a urological cell.
6. The method of claim 1, wherein the urological disorder is a disorder associated with UI or BPH.
7. The method of claim 1, wherein the binding of the test compound to the polypeptide is detected by a method selected from the group consisting of:
 - a) a competition binding assay;
 - b) an immunoassay; and
 - c) a yeast two-hybrid assay.

8. A method for identifying a compound capable of treating a urological disorder, comprising:

a) combining a compound to be tested with a host cell expressing 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 polypeptide under conditions suitable for binding of the test compound to the polypeptide; and

b) detecting binding of the test compound to the polypeptide to thereby identify a compound which binds to the polypeptide, thereby identifying a compound capable of treating a urological disorder.

9. The method of claim 8, wherein the compound is selected for the group consisting of a small molecule, a peptide, an antibody or an antisense nucleic acid molecule.

10. The method of claim 8, wherein the polypeptide further comprises heterologous sequences.

11. The method of claim 8, wherein the host cell is a urological cell.

12. The method of claim 8, wherein the urological disorder is a disorder associated with but not limited to UI or BPH.

13. The method of claim 8, wherein the binding of the test compound to the polypeptide is detected by a method selected from the group consisting of:

- a) a competition binding assay;
- b) an immunoassay; and
- c) a yeast two-hybrid assay

14. A method of identifying a subject having a urological disorder, or at risk for developing a urological disorder comprising:

a) contacting a sample obtained from the subject comprising polypeptides with a 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 binding substance; and

b) detecting the presence of a polypeptide in the sample that binds to the 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 binding substance, thereby identifying a subject having a urological disorder, or at risk for developing a urological disorder.

15. The method of claim 14, wherein the binding substance is an antibody.

16. The method of claim 14, wherein the binding substance is detectably labeled.

17. A method for treating a subject having a urological disorder or a urological disorder characterized by aberrant 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 polypeptide activity or aberrant 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209,

16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 nucleic acid expression comprising administering to the subject a 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 modulator, thereby treating said subject having a urological disorder.

18. The method of claim 17, wherein the disorder is a disorder associated with but not limited to UI or BPH.

19. The method of claim 17, wherein the 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 modulator is administered in a pharmaceutically acceptable formulation.

20. The method of claim 17, wherein the 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 modulator is capable of modulating 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 polypeptide activity.

21. The method of claim 20, wherein the 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 modulator is an anti-44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 antibody.

22. The method of claim 17, wherein the 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 modulator is capable of modulating 44390, 54181, 211, 5687, 884, 1405, 636, 4421, 5410, 30905, 2045, 16405, 18560, 2047, 33751, 52872, 14063, 20739, 32544, 43239, 44373, 51164, 53010, 16852, 1587, 2207, 22245, 2387, 52908, 69112, 14990, 18547, 115, 579, 15985, 15625, 760, 18603, 2395, 2554, 8675, 32720, 4809, 14303, 16816, 17827, 32620, 577, 619, 1423, 2158, 8263, 15402, 16209, 16386, 21165, 30911, 41897, 1643, 2543, 9626, 13231, 32409, 84260, 2882, 8203, 32678 or 55053 nucleic acid expression.